



SERVIZIO  
SANITARIO  
REGIONALE



AZIENDA OSPEDALIERA  
"Pugliese Ciaccio"  
Catanzaro



Dipartimento Tutela della Salute  
e Politiche Sanitarie

REGIONE CALABRIA

**BANDO ESPLORATIVO N. 22 del 14.02.2019  
PER ACQUISIZIONE BENI INFUNGIBILI PROCEDURA NEGOZIATA SENZA  
PREVIA PUBBLICAZIONE DEL BANDO DI GARA "Frese per Neurochirurgia dedicate al  
Trapano Anspach in dotazione della Sala Operatoria " Scadenza 01.03.2019, S.O.C.  
Neurochirurgia Fasc. 28 /2019 ;**

Il presente bando esplorativo è finalizzato alla verifica di esistenza di ulteriori prodotti - rispetto al dispositivo conosciuto e di seguito indicato – aventi specifiche tecniche "equivalenti" a quelle sotto descritte:

- 1.denominazione dispositivo medico conosciuto: **"Frese per Neurochirurgia dedicate al Trapano Anspach in dotazione della Sala Operatoria "**
2. indicazioni ed esigenze funzionali e prestazionali, di natura diagnostica e terapeutica per le quali è richiesto il dispositivo medico : Interventi di Neurochirurgia ;
- 3.descrizione delle caratteristiche tecniche possedute dal dispositivo, che consentono di soddisfare le esigenze sopra indicato : **Dedicate al Trapano Anspach mod.EMAXPLUS-EG1 in dotazione ;**
- 4.denominazione del produttore **ANSPACH** fornitore FORMEDICAL;

Gli operatori economici che ritengano di produrre e/o commercializzare un dispositivo avente caratteristiche funzionalmente equivalenti dovranno far pervenire entro giorno 01.03.2019 un plico, idoneamente sigillato e controfirmato sui lembi di chiusura, all'indirizzo sotto indicato: Azienda Ospedaliera "Pugliese-Ciaccio", Via Vinicio Cortese, 10 – 88100 Catanzaro

Sul plico dovrà essere indicato:

- Ragione sociale, indirizzo e recapiti della/e Ditta/e partecipante/i.
- La denominazione dell'oggetto (Manifestazione di interesse a bando esplorativo n **22** 01.03.2019);

Il plico dovrà contenere:

1. Scheda tecnica del prodotto in lingua italiana (o tradotta);
2. Codice rilasciato dal fornitore, CND di appartenenza, numero attribuito dal repertorio dei DM.;
3. Dichiarazione attestante l'equivalenza prestazionale e cioè che le caratteristiche del dispositivo ottemperino in maniera equivalente alle esigenze di natura terapeutica per le quali è richiesto il dispositivo medico ((D.Lgs. 50/2016, art. 68 c. 6) ), esplicitativa e dettagliata;
4. Studi scientifici o altro materiale, a corredo della ritenuta e dichiarata equivalenza funzionale;
- 5.-Costo unitario presunto (desunto dal listino) **da allegare ;**
6. Consumo annuale previsto 600 frese dedicate. Si allegano schede codici probabili di acquisto .

Punto Istruttore  
Vitaliano Marino

Responsabile del Procedimento  
Dott. Sergio Chiarella

Email [vmarino@aocz.it](mailto:vmarino@aocz.it) tel 0961-883575 fax 0961-88350

K... sta prese e perforatori per l'Anno 2019 Blocco Oper. Nch Pugliese Catanzaro  
 dec... cate per trapani Anspach mod. EMAX2PLUS - EG1 della U.O. di Neurochirurgia  
 consumo presunto PZ 800 da richiedere di volta in volta secondo necessità  
 dei codici sotto elencati

## LOTTO UNICO INDIVISIBILE

Codice prodotto	Descrizione	GND	NID
26-1221	Disposable perforators 14mm/11mm	P091304	48631/R
26-1222	Disposable perforators 11mm/08mm	P091304	48631/R
26-1223	Disposable perforators 09mm/06mm	P091304	48631/R
A-CRN-G1	1.85 mm x 16 mm Fluted Router.	L1104	1239831/R
A-CRN-M-G1	2 mm x 15.6 mm Fluted Router.	L1104	1239832/R
A-CRN-S-G1	2.15 mm x 22 mm Fluted Spiral Router.	L1104	1239959/R
IRR-CLIP-10	IRRIGATION CLIP, SHORT	K0180	61366
IRR-CLIP-20	IRRIGATION CLIP, QD8,QD8-S	K0180	105206
IRR-CLIP-50	IRRIG CLIP, MED,LONG/-S,TURQ-L	K0180	105209
IRR-CLIP-60	IRRIGATION CLIP, QD11/-S,QD14	K0180	105210
L-10DRC	10MMX14MM FLUTED DRUM SIDE CUT	L1104	54429
L-10DRC-G1	10 mm x 14 mm Fluted Drum, Side Cut Only	L1104	1241839/R
L-1R-G1	1.2 mm x 12.8 mm Fluted Router.	L1104	1239833/R
L-1SB-G1	1 mm Fluted Ball, Standard Length.	L1104	1235999/R
L-1SD-G1	1 mm Diamond Ball, Standard Length.	L1104	1237387/R
L-2SB-G1	2 mm Fluted Ball, Standard Length.	L1104	1236030/R
L-2SD-G1	2 mm Diamond Ball, Standard Length.	L1104	1237406/R
L-35DR-G1	3.5 mm x 8.4 mm Fluted Drum.	L1104	1237630/R
L-3SB-4-G1	3 mm Fluted Ball, 4-Series, Standard Len	L1104	1236031/R
L-3SB-G1	3 mm Fluted Ball, Standard Length.	L1104	1236032/R
L-3SDC-G1	3 mm Coarse Diamond Ball, Standard Leng	L1104	1237407/R
L-3SD-G1	3 mm Diamond Ball, Standard Length.	L1104	1237408/R
L-47DRM-G1	4.7 mm x 8 mm Fluted Drum.	L1104	1237648/R
L-4B-4-G1	4 mm Fluted Ball, 4-Series.	L1104	1236033/R
L-4BA-G1	4 mm x 8 mm Fluted Barrel.	L1104	1240094/R
L-4BA-S-G1	4 mm x 8 mm Fluted Barrel.	L1104	1240189/R
L-4B-C-G1	4 mm Carbide Fluted Ball.	L1104	1236440/R
L-4B-G1	4 mm Fluted Ball.	L1104	1240021/R
L-4DC-G1	4 mm Coarse Diamond Ball.	L1104	1237409/R
L-4D-G1	4 mm Diamond Ball, Standard Length.	L1104	1237410/R
L-4DRM-G1	4 mm x 8.9 mm Fluted Drum, Side Cut Only	L1104	1237670/R
L-4DX-G1	4 mm Extra Coarse Diamond Ball.	L1104	1237411/R
L-4OV-G1	4 mm x 8 mm Fluted Oval.	L1104	1239711/R
L-56OV-G1	5 mm x 6 mm Fluted Oval.	L1104	1239743/R
L-58OV-G1	5 mm x 8 mm Fluted Oval.	L1104	1239744/R
L-5AC-G1	5 mm Fluted Acorn.	L1104	1239593/R
L-5B-4-G1	5 mm Fluted Ball, 4-Series.	L1104	1236034/R
L-5BA-G1	5 mm Fluted Ball, Less Aggressive.	L1104	1236035/R
L-5B-C-G1	5 mm Carbide Fluted Ball	L1104	1236452/R
L-5B-G1	5 mm Fluted Ball.	L1104	1236036/R
L-5DC-G1	5 mm Coarse Diamond Ball.	L1104	1237412/R
L-5D-G1	5 mm Diamond Ball.	L1104	1237413/R
L-5DRC-G1	5 mm x 14 mm Fluted Drum, Side Cut Only.	L1104	1237679/R
L-5DRM-G1	5 mm x 8.4 mm Fluted Drum.	L1104	1237649/R
L-5DX-G1	5 mm Extra Coarse Diamond Ball.	L1104	1237414/R
L-5OV-G1	5 mm x 10 mm Fluted Oval.	L1104	1239745/R
L-68DRMDX-G1	6.8 mm x 10.6 mm Extra Coarse Diamond Dr	L1104	1239634/R

L-6B-4-G1	6 mm Fluted Ball, 4-Series.	L1104	1236037/R
L-6B-G1	6 mm Fluted Ball.	L1104	1236038/R
L-6DC-G1	6 mm Coarse Diamond Ball. .	L1104	1237415/R
L-6D-G1	6 mm Diamond Ball.	L1104	1237416/R
L-6DRC-G1	6 mm x 14 mm Fluted Drum, Side Cut Only.	L1104	1237680/R
L-6DX-20-G1	6 mm Extra Coarse Diamond Ball, 20/30 Gr	L1104	1244322/R
L-6DX-G1	6 mm Extra Coarse Diamond Ball.	L1104	1237417/R
L-7AC-G1	7 mm Fluted Acorn.	L1104	1239608/R
L-7B-G1	7 mm Fluted Ball.	L1104	1236039/R
L-7DRC-11-G1	7 mm x 11 mm Fluted Drum.	L1104	1237650/R
L-7DRC-G1	7 mm x 14 mm Fluted Drum, Side Cut Only.	L1104	1237681/R
L-8BA-G1	8 mm x 12.5 mm Fluted Barrel.	L1104	1240190/R
L-8DRC-11-G1	8 mm x 11 mm Fluted Drum.	L1104	1237651/R
L-8DRC-G1	8 mm x 14 mm Fluted Drum, Side Cut Only.	L1104	1237682/R
L-8DX-G1	8 mm Extra Coarse Diamond Ball.	L1104	1237418/R
L-8N-18-G1	1.8 mm Fluted Matchstick.	L1104	1236747/R
L-8ND-G1	2.5 mm Diamond Matchstick.	L1104	1236796/R
L-8N-G1	2.3 mm Fluted Matchstick.	L1104	1236769/R
L-8NSDC-G1	3.2 mm Coarse Diamond Matchstick.	L1104	1236810/R
L-8NSD-G1	3.2 mm Diamond Matchstick.	L1104	1236811/R
L-8NS-G1	3 mm Fluted Matchstick.	L1104	1236770/R
L-8NS-M-C-G1	3 mm Carbide Fluted Matchstick, Less Agg	L1104	1236823/R
L-8NS-M-G1	3 mm Fluted Matchstick, Less Aggressive.	L1104	1236771/R
L-9B-G1	9 mm Fluted Ball.	L1104	1236040/R
L-9DRC-G1	9 mm x 14 mm Fluted Drum, Side Cut Only.	L1104	1237683/R
L-CRN-G1	2.5 mm x 25.4 mm Fluted Router.	L1104	1239834/R
L-CRN-S-4-G1	2.47 mm x 30.3 mm Fluted Spiral Router,	L1104	1239960/R
L-CRN-S-G1	2.47 mm x 30.3 mm Fluted Spiral Router.	L1104	1239961/R
LS-3405	5MM X 20MM GRAFT HARVESTING BLADE	V0103	60560
LS-3406	6MM X 20MM GRAFT HARVESTING BLADE	V0103	60593
LS-3407	7MM X 20MM GRAFT HARVESTING BLADE	V0103	60594
LS-3408	8MM X 20MM GRAFT HARVESTING BLADE	V0103	60597
LS-3409	9MM X 20MM GRAFT HARVESTING BLADE	V0103	60599
LS-3410	10MM X 20MM GRAFT HARVESTING BLADE	V0103	60603
LS-3411	11MM X 20MM GRAFT HARVESTING BLADE	V0103	60604
LS-3412	12MM X 20MM GRAFT HARVESTING BLADE	V0103	60605
M-05D-G1	0.5 mm Diamond Ball, Extended Length.	L1104	1237419/R
M-05SD-G1	0.5 mm Diamond Ball, Standard Length.	L1104	1237420/R
M-14R-G1	1.4 mm x 12.8 mm Fluted Router.	L1104	1239835/R
M-15D-G1	1.5 mm Diamond Ball, Extended Length.	L1104	1237421/R
M-15SDC-G1	1.5 mm Coarse Diamond Ball, Standard Len	L1104	1237422/R
M-15SD-G1	1.5 mm Diamond Ball, Standard Length.	L1104	1237423/R
M-1B-G1	1 mm Fluted Ball, Extended Length.	L1104	1236046/R
M-1DC-G1	1 mm Coarse Diamond Ball, Extended Lengt	L1104	1237424/R
M-1D-G1	1 mm Diamond Ball, Extended Length.	L1104	1237425/R
M-1R-4-G1	1.2 mm x 12.8 mm Fluted Router, 4-Series	L1104	1239836/R
M-1R-G1	1.2 mm x 12.8 mm Fluted Router.	L1104	1239837/R
M-1SB-G1	1 mm Fluted Ball, Standard Length.	L1104	1236047/R
M-1SDC-G1	1 mm Coarse Diamond Ball, Standard Lengt	L1104	1237426/R
M-1SD-G1	1 mm Diamond Ball, Standard Length.	L1104	1237427/R
M-25SDC-G1	2.5 mm Coarse Diamond Ball, Standard Len	L1104	1237428/R
M-25SD-G1	2.5 mm Diamond Ball, Standard Length.	L1104	1237429/R
M-2B-G1	2 mm Fluted Ball, Extended Length.	L1104	1236048/R
M-2DC-G1	2 mm Coarse Diamond Ball, Extended Lengt	L1104	1237430/R
M-2D-G1	2 mm Diamond Ball, Extended Length.	L1104	1237431/R
M-2SB-G1	2 mm Fluted Ball, Standard Length.	L1104	1236049/R
M-2SDC-G1	2 mm Coarse Diamond Ball, Standard Lengt	L1104	1237432/R
M-2SD-G1	2 mm Diamond Ball, Standard Length.	L1104	1237433/R
M-35SDC-G1	3.5 mm Coarse Diamond Ball, Standard Len	L1104	1237434/R

M-35SD-G1	3.5 mm Diamond Ball, Standard Length.	L1104	1237435/R
M-3BA-A-G1	3 mm x 11.3 mm Fluted Barrel, 14 Flutes.	L1104	1240191/R
M-3B-G1	3 mm Fluted Ball, Extended Length.	L1104	1236050/R
M-3DC-2-G1	3 mm Coarse Diamond Ball, 2 mm Shaft Exp	L1104	1237550/R
M-3DC-G1	3 mm Coarse Diamond Ball, Extended Length	L1104	1237436/R
M-3D-G1	3 mm Diamond Ball, Extended Length.	L1104	1237437/R
M-3SB-2-G1	3 mm Fluted Ball, 2 mm Shaft Exposure.	L1104	1236051/R
M-3SB-4-G1	3 mm Fluted Ball, 4-Series, Standard Len	L1104	1236052/R
M-3SB-G1	3 mm Fluted Ball, Standard Length.	L1104	1236053/R
M-3SDC-G1	3 mm Coarse Diamond Ball, Standard Length	L1104	1237438/R
M-3SD-G1	3 mm Diamond Ball, Standard Length.	L1104	1237439/R
M-45DRMDX-G1	4 mm x 5 mm Extra Coarse Diamond Drum.	L1104	1239644/R
M-4AC-G1	4 mm Fluted Acorn.	L1104	1239610/R
M-4B-27-G1	4 mm Fluted Ball, Extends 27 mm.	L1104	1236054/R
M-4B-4-G1	4 mm Fluted Ball, 4-Series.	L1104	1236055/R
M-4BA-A-G1	4 mm x 11 mm Fluted Barrel, 14 Flutes.	L1104	1240192/R
M-4B-G1	4 mm Fluted Ball.	L1104	1236056/R
M-4DC-G1	4 mm Coarse Diamond Ball.	L1104	1237440/R
M-4D-G1	4 mm Diamond Ball.	L1104	1237441/R
M-4DRM-G1	4 mm x 8.9 mm Fluted Drum, Side Cut Only	L1104	1237684/R
M-4DX-20-G1	4 mm Extra Coarse Diamond Ball, 20/30 Gr	L1104	1237500/R
M-4DX-G1	4 mm Extra Coarse Diamond Ball.	L1104	1237442/R
M-4FD-G1	4 mm x 10 mm Diamond Pear Inverted.	L1104	1240223/R
M-4OVDC-G1	4 mm x 8 mm Coarse Diamond Oval.	L1104	1239767/R
M-4OVD-G1	4 mm x 8 mm Diamond Oval.	L1104	1239758/R
M-4OV-G1	4 mm x 8 mm Fluted Oval.	L1104	1239746/R
M-55OV-C-G1	5.5 mm x 10 mm Carbide Fluted Oval.	L1104	1239785/R
M-56OV-G1	5 mm x 6 mm Fluted Oval.	L1104	1239747/R
M-58OV-G1	5 mm x 8 mm Fluted Oval.	L1104	1239748/R
M-5AC-G1	5 mm Fluted Acorn.	L1104	1239611/R
M-5B-12F-G1	5 mm Fluted Ball, 12 Flutes.	L1104	1236057/R
M-5B-27-G1	5 mm Fluted Ball, Extends 27 mm.	L1104	1240009/R
M-5B-2-G1	5 mm Fluted Ball, 2 mm Shaft Exposure.	L1104	1240010/R
M-5B-4-G1	5 mm Fluted Ball, 4-Series.	L1104	1240011/R
M-5BA-20-G1	5 mm x 20 mm Fluted Barrel.	L1104	1240193/R
M-5BA-A-G1	5 mm x 11.3 mm Fluted Barrel.	L1104	1240194/R
M-5B-A-G1	5 mm Fluted Ball, Less Aggressive.	L1104	1240027/R
M-5B-C-G1	5 mm Carbide Fluted Ball.	L1104	1236453/R
M-5B-G1	5 mm Fluted Ball.	L1104	1236058/R
M-5DC-G1	5 mm Coarse Diamond Ball.	L1104	1237443/R
M-5D-G1	5 mm Diamond Ball.	L1104	1237444/R
M-5DRM-G1	5 mm x 8.4 mm Fluted Drum. .	L1104	1237660/R
M-5DX-G1	5 mm Extra Coarse Diamond Ball.	L1104	1237445/R
M-5OV	5MM X 10MM FLUTED OVAL	L1104	0
M-5OV-G1	5 mm x 10 mm Fluted Oval.	L1104	1239749/R
M-62DRM-G1	6.2 mm x 4.6 mm Fluted Drum, Side Cut On	L1104	1237685/R
M-6AC-G1	6 mm Fluted Acorn.	L1104	1239612/R
M-6B-4-G1	6 mm Fluted Ball, 4-Series.	L1104	1236059/R
M-6BA-A-G1	6 mm x 11.3 mm Fluted Barrel.	L1104	1240195/R
M-6B-C-G1	6 mm Carbide Fluted Ball.	L1104	1236454/R
M-6B-G1	6 mm Fluted Ball.	L1104	1236060/R
M-6DC-2-G1	6 mm Coarse Diamond Ball, 2 mm Shaft Exp	L1104	1237554/R
M-6DC-G1	6 mm Coarse Diamond Ball.	L1104	1237446/R
M-6D-G1	6 mm Diamond Ball.	L1104	1237447/R
M-6DX-20-G1	6 mm Extra Coarse Diamond Ball, 20/30 Gr	L1104	1237531/R
M-6DX-G1	6 mm Extra Coarse Diamond Ball.	L1104	1237448/R
M-6P-G1	6 mm x 9 mm Fluted Pear.	L1104	1240226/R
M-7AC-G1	7 mm Fluted Acorn.	L1104	1239613/R
M-7B-G1	7 mm Fluted Ball.	L1104	1236061/R

M-7DX-G1	7 mm Extra Coarse Diamond Ball.	L1104	1237449/R
M-8BA-G1	8 mm x 12.5 mm Fluted Barrel.	L1104	1240196/R
M-8N-18-G1	1.8 mm Fluted Matchstick	L1104	1236774/R
M-8ND-G1	2.5 mm Diamond Matchstick.	L1104	1236812/R
M-8N-G1	2.3 mm Fluted Matchstick.	L1104	1236775/R
M-8NSDC-G1	3.2 mm Coarse Diamond Matchstick.	L1104	1236813/R
M-8NSD-G1	3.2 mm Diamond Matchstick.	L1104	1236814/R
M-8NS-G1	3 mm Fluted Matchstick.	L1104	1236776/R
M-8NS-M-C-G1	3 mm Carbide Fluted Matchstick, Less Agg	L1104	1236826/R
M-8NS-M-G1	3 mm Fluted Matchstick, Less Aggressive.	L1104	1236777/R
M-8NS-ML-G1	3.2 mm Fluted Matchstick, Less Aggressiv	L1104	1236778/R
MA10-05SD	.5MM DIAMOND BALL, 10CM	L1104	141623
MA10-08SD	.8MM DIAMOND BALL, 10CM	L1104	141628
MA10-15SB	1.5MM FLUTED BALL, 10CM	L1104	141634
MA10-1SB	1MM FLUTED BALL, 10CM	L1104	141637
MA10-25SB	2.5MM FLUTED BALL, 10CM	L1104	141642
MA10-2SB	2MM FLUTED BALL, 10CM	L1104	141491
MA10-2SD	2MM DIAMOND BALL, 10 CM	L1104	141495
MA10-3SB	3MM FLUTED BALL, 10CM	L1104	141567
MA10-3SD	3MM DIAMOND BALL, 10CM	L1104	141596
MA10-4D	4MM DIAMOND BALL, 10CM	L1104	141602
MA10-8N	2.3MM FLUTED MATCHSTICK, 10CM	L1104	141605
MA10-8N-18	1.8MM FLUTED MATCHSTICK, 10CM	L1104	62072
MA10-8NS	3MM FLUTED MATCHSTICK, 10CM	L1104	62074
MA10-8NSDC	3MM COARSE DMND MATCHSTCK,10CM	L1104	62075
MA15-15SD	1.5MM STD DIAMOND BALL, 15CM	L1104	62077
MA15-2SB	2MM FLUTED BALL, 15CM	L1104	62079
MA15-2SD	2MM DIAMOND BALL, 15CM	L1104	62081
MA15-3SB	3MM FLUTED BALL, 15CM	L1104	62082
MA15-3SD	3MM DIAMOND BALL, 15CM	L1104	62084
MA15-4D	4MM DIAMOND BALL, 15CM	L1104	62085
MA15-4DC	4MM COARSE DIAMOND BALL, 15 CM	L1104	0
MA15-8N	2.3MM FLUTED MATCHSTICK, 15CM	L1104	62086
MA15-8N-18	1.8MM FLUTED MATCHSTICK, 15CM	L1104	62088
MA15-8NS	3MM FLUTED MATCHSTICK, 15CM	L1104	62091
MA15-8NSDC	3MM CRSE DMND MTCHSTCK,15CM	L1104	141608
MA19-15SD	1.5MM DIAMOND BALL, 19CM	L1104	1244663/R
MA19-2SB	2MM FLUTED BALL, 19CM	L1104	1244467/R
MA19-2SD	2MM DIAMOND BALL, 19CM	L1104	1244665/R
MA19-3SB	3MM FLUTED BALL, 19CM	L1104	1244470/R
MA19-3SD	3MM DIAMOND BALL, 19CM	L1104	1244666/R
MA19-4D	MM FLUTED BALL, 19CM	L1104	1244667/R
MA19-8N	2.3MM FLUTED MATCHSTICK, 19CM	L1104	1244912/R
MA19-8N-18	1.8MM FLUTED MATCHSTICK, 19CM	L1104	1244915/R
MA19-8NS	3MM FLUTED MATCHSTICK, 19CM	L1104	1244916/R
MA19-8NSDC	3MM COARSE DIAMOND MATCHSTICK, 19CM	L1104	1244918/R
MIA16-3SB	3MM FLUTED BALL, STD	L1104	55277
MIA16-3SB-G1	3 mm Fluted Ball, Standard Length.	L1104	1236064/R
MIA16-4B-G1	4 mm Fluted Ball.	L1104	1236065/R
MIA16-4DC-G1	4 mm Coarse Diamond Ball.	L1104	1237450/R
MIA16-4D-G1	4 mm Diamond Ball.	L1104	1237451/R
MIA16-5D-G1	5 mm Diamond Ball.	L1104	1237452/R
MIA16-5OV-G1	5 mm X 10 mm Fluted Oval.	L1104	1239750/R
MIA16-6B-G1	6 mm Fluted Ball.	L1104	1236066/R
MIA16-6DC-G1	6 mm Coarse Diamond Ball.	L1104	1237453/R
MIA16-6DX-G1	6 mm Extra Coarse Diamond Ball.	L1104	1237454/R
MIA16-7B-G1	7 mm Fluted Ball.	L1104	1236067/R
MIA16-8NS-G1	3 mm Fluted Matchstick.	L1104	1236781/R
MIA16-8NSM-G1	3 mm Fluted Matchstick, Less Aggressive.	L1104	1236782/R

MO-3001	28.5MM X 5.5MM OSC. MICRO BLADE	V0103	60608
MO-3002	31MM X 10MM OSC. MICRO BLADE	V0103	60609
MO-3003	21MM X 5.5MM OSC. MICRO BLADE	V0103	60611
MO-3005	18.5MM X 10MM OSC. MICRO BLADE	V0103	60612
MO-3006	14MM X 5.5MM OSC. MICRO BLADE	V0103	60613
MO-3105	18.5MM X 9MM OSCILLATING MICRO BLADE	V0103	1244923/R
MO-3225	31MM X 9MM OSCILLATING MICRO BLADE	V0103	1244931/R
MO-3515	42MM X 13.3MM OSCILLATING MICRO BLADE	V0103	1244932/R
MR-0500	6.6MM, 9TEETH/CM RECIP. MICRO BLADE	V0103	60616
MR-0520	22.9MM, 9TEETH/CM RECIP. MICRO BLADE	V0103	60617
MR-0540	25.1MM, 14 TEETH/CM RECIP. MICRO BLADE	V0103	60618
MR-0560	15MM, 13 TEETH/CM RECIP. MICRO BLADE	V0103	60619
MR-0580	21.35MM, 13TEETH/CM RECIP. MICRO BLADE	V0103	145491
MR-0600	25.4MM, 9 TEETH/CM RECIP. MICRO BLADE	V0103	60620
MR-14006	39.5MM X 9.0MM RECIP MICRO BLADE	V0103	145493
MRA-8L	2.3MM X 4.5MM FLUTED MATCHSTIK	L1104	58063
MRA-8M	2.3MM X 4.5MM FLUTED MATCHSTIK	L1104	58065
MRA-8S	2.3MM X 4.5MM FLUTED MATCHSTIK	L1104	58070
MS-3100C	41MM X 14MM COARSE SAGITTAL SAW BLADE	V0103	60622
MS-3101	25.5MM X 9.5MM SAG MICRO BLADE	V0103	60669
MS-3101C	25.5MMX9.5MM COARSE SAG MBLADE	V0103	60670
MS-3102	25.5MM X 4.5MM SAG MICRO BLADE	V0103	60673
MS-3104	15.2MM X 9.5MM SAG MICRO BLADE	V0103	60676
MS-3105	18.5MM X 9MM SAGITTAL MICRO BLADE	V0103	1244934/R
MS-3106	25.5MM X 5.5MM SAG MICRO BLADE	V0103	60683
MS-3108	34MM X 4MM SAG MICRO BLADE	V0103	60759
MS-3225	31MM X 9MM SAGITTAL MICRO BLADE	V0103	1244939/R
MS-3231	41MM X 19.5MM SAGITTAL SAW BLADE	V0103	60760
MS-3240	41MM X 9.5MM SAGITTAL SAW BLADE	V0103	60762
MS-3515	42MM X 13.3MM SAGITTAL MICRO BLADE	V0103	1244940/R
P-CRN-G1	1.4 mm x 12.8 mm Fluted Router.	L1104	1239840/R
S-05B-G1	0.5 mm Fluted Ball, Extended Length.	L1104	1240012/R
S-05D-G1	0.5 mm Diamond Ball, Extended Length.	L1104	1237455/R
S-05SD-G1	0.5 mm Diamond Ball, Standard Length.	L1104	1237456/R
S-06SD-G1	0.6 mm Diamond Ball, Standard Length.	L1104	1237457/R
S-08SD-G1	0.8 mm Diamond Ball, Standard Length.	L1104	1237458/R
S-1203TD-G1	1.2 mm x 3 mm Twist Drill.	L1104	1236582/R
S-1254TD-G1	Twist Drill for 1.25 mm x 4 mm Screw.	L1104	1236583/R
S-12D-G1	1.2 mm Diamond Ball, Extended Length.	L1104	1237459/R
S-1504TD-G1	Twist Drill for 1.5 mm x 4 mm Screw.	L1104	1236584/R
S-1506TD-G1	Twist Drill for 1.5 mm x 6 mm Screw.	L1104	1236585/R
S-1506TD-M-G1	1.5 mm x 6 mm Fluted Twist Drill.	L1104	1236586/R
S-1510TD-G1	1.55 mm x 10 mm Fluted Twist Drill.	L1104	1236587/R
S-15B-G1	1.5 mm Fluted Ball, Extended Length.	L1104	1240013/R
S-15DC-G1	1.5 mm Coarse Diamond Ball, Extended Len	L1104	1237460/R
S-15DCT-G1	1.5 mm Coarse Diamond Ball, Tapered, Ext	L1104	1239661/R
S-15D-G1	1.5 mm Diamond Ball, Extended Length.	L1104	1237461/R
S-15DRMC-G1	1.5 mm x 7.5 mm Cylindrical Carbide Drum	L1104	1241856/R
S-15DRMC-L-G1	1.5 mm x 7.5 mm Cylindrical Carbide Drum	L1104	1241857/R
S-15SB-G1	1.5 mm Fluted Ball, Standard Length.	L1104	1236219/R
S-15SDC-G1	1.5 mm Coarse Diamond Ball, Standard Len	L1104	1237462/R
S-15SD-G1	1.5 mm Diamond Ball, Standard Length.	L1104	1237463/R
S-1B-C-G1	1 mm Carbide Fluted Ball, Extended Lengt	L1104	1236455/R
S-1B-G1	1 mm Fluted Ball, Extended Length.	L1104	1236220/R
S-1DC-G1	1 mm Coarse Diamond Ball, Extended Lengt	L1104	1237464/R
S-1D-G1	1 mm Diamond Ball, Extended Length.	L1104	1237465/R
S-1R-4-G1	1.4 mm x 12.8 mm Fluted Router, 4-Series	L1104	1239842/R
S-1R-G1	1.4 mm x 12.8 mm Fluted Router.	L1104	1239843/R
S-1SB-C-G1	1 mm Carbide Fluted Ball, Standard Lengt	L1104	1236456/R

S-1SB-G1	1 mm Fluted Ball, Standard Length.	L1104	1236221/R
S-1SDC-G1	1 mm Coarse Diamond Ball, Standard Length	L1104	1237466/R
S-1SD-G1	1 mm Diamond Ball, Standard Length.	L1104	1237467/R
S-2004TD-G1	Twist Drill for 2.0 mm x 4 mm Screw.	L1104	1236588/R
S-2006TD-G1	Twist Drill for 2.0 mm x 6 mm Screw.	L1104	1236589/R
S-2433TD-G1	2.4 mm x 3.3 mm Twist Drill.	L1104	1236590/R
S-25B-G1	2.5 mm Fluted Ball, Extended Length.	L1104	1236222/R
S-25DC-G1	2.5 mm Coarse Diamond Ball, Extended Length	L1104	1237468/R
S-25D-G1	2.5 mm Diamond Ball, Extended Length.	L1104	1237469/R
S-25SB-G1	2.5 mm Fluted Ball, Standard Length.	L1104	1236223/R
S-25SDC-G1	2.5 mm Coarse Diamond Ball, Standard Length	L1104	1237470/R
S-25SD-G1	2.5 mm Diamond Ball, Standard Length.	L1104	1237471/R
S-2B-C-G1	2 mm Carbide Fluted Ball, Extended Length	L1104	1236457/R
S-2B-G1	2 mm Fluted Ball, Extended Length.	L1104	1236224/R
S-2DC-G1	2 mm Coarse Diamond Ball, Extended Length	L1104	1237472/R
S-2D-G1	2 mm Diamond Ball, Extended Length.	L1104	1237473/R
S-2SB-4-G1	2 mm Fluted Ball, 4-Series, Standard Length	L1104	1240014/R
S-2SB-C-8F-G1	2 mm Carbide Fluted Ball, Standard, 8 Flutes	L1104	1236458/R
S-2SB-C-G1	2 mm Carbide Fluted Ball, Standard Length	L1104	1236459/R
S-2SB-G1	2 mm Fluted Ball, Standard Length.	L1104	1236225/R
S-2SBT-G1	2 mm Fluted Ball, Tapered, Standard Length	L1104	1236226/R
S-2SD-120-G1	2 mm Diamond Ball, 120/140 Grit, Standard	L1104	1237532/R
S-2SDC-G1	2 mm Coarse Diamond Ball, Standard Length	L1104	1237474/R
S-2SDCT-G1	2 mm Coarse Diamond Ball, Tapered, Standard	L1104	1239671/R
S-2SD-G1	2 mm Diamond Ball, Standard Length.	L1104	1237475/R
S-35B-G1	3.5 mm Fluted Ball, Extended Length.	L1104	1236227/R
S-35DC-G1	3.5 mm Coarse Diamond Ball, Extended Length	L1104	1237476/R
S-35D-G1	3.5 mm Diamond Ball, Extended Length.	L1104	1237477/R
S-35SB-G1	3.5 mm Fluted Ball, Standard Length.	L1104	1236228/R
S-35SDC-G1	3.5 mm Coarse Diamond Ball, Standard Length	L1104	1237478/R
S-35SD-G1	3.5 mm Diamond Ball, Standard Length.	L1104	1237479/R
S-3B-4-G1	3 mm Fluted Ball, 4-Series, Extended Length	L1104	1236229/R
S-3B-C-G1	3 mm Carbide Fluted Ball, Extended Length	L1104	1236460/R
S-3B-G1	3 mm Fluted Ball, Extended Length.	L1104	1236230/R
S-3DC-G1	3 mm Coarse Diamond Ball, Extended Length	L1104	1237480/R
S-3D-G1	3 mm Diamond Ball, Extended Length.	L1104	1237481/R
S-3SB-4-G1	3 mm Fluted Ball, 4-Series, Standard Length	L1104	1236231/R
S-3SB-C-G1	3 mm Carbide Fluted Ball, Standard Length	L1104	1236461/R
S-3SB-G1	3 mm Fluted Ball, Standard Length.	L1104	1236232/R
S-3SBT-G1	3 mm Fluted Ball, Tapered, Standard Length	L1104	1240015/R
S-3SD-100-G1	3 mm Diamond Ball, 100/120 Grit, Standard	L1104	1237533/R
S-3SDC-22-G1	3 mm Coarse Diamond Ball, 22 mm Shaft Extension	L1104	1237555/R
S-3SDC-50-G1	3 mm Coarse Diamond Ball, 50/60 Grit, Standard	L1104	1237534/R
S-3SDC-G1	3 mm Coarse Diamond Ball, Standard Length	L1104	1237482/R
S-3SDCT-G1	3 mm Coarse Diamond Ball, Tapered, Standard	L1104	1239672/R
S-3SD-G1	3 mm Diamond Ball, Standard Length.	L1104	1237483/R
S-4B-4-G1	4 mm Fluted Ball, 4-Series.	L1104	1236233/R
S-4B-C-10F-G1	4 mm Carbide Fluted Ball, 10 Flutes.	L1104	1236462/R
S-4B-C-G1	4 mm Carbide Fluted Ball, Standard Length	L1104	1236463/R
S-4B-G1	4 mm Fluted Ball.	L1104	1236234/R
S-4BL-C-G1	4 mm Carbide Fluted Ball, Extends 27 mm.	L1104	1236464/R
S-4BT-G1	4 mm Fluted Ball, Tapered.	L1104	1236235/R
S-4D-100-G1	4 mm Diamond Ball, 100/120 Grit.	L1104	1237535/R
S-4DC-22-G1	4 mm Coarse Diamond Ball, 22 mm Shaft Extension	L1104	1237556/R
S-4DC-G1	4 mm Coarse Diamond Ball.	L1104	1237484/R
S-4D-G1	4 mm Diamond Ball.	L1104	1237485/R
S-4D-L-G1	4 mm Diamond Ball, Extends 27 mm.	L1104	1237567/R
S-4DRM-G1	4 mm x 8.9 mm Fluted Drum, Side Cut Only	L1104	1237687/R
S-4DX-20-G1	4 mm Extra Coarse Diamond Ball, 20/30 Grit	L1104	1237536/R



S-4DX-G1	4 mm Extra Coarse Diamond Ball.	L1104	1237486/R
S-4OVD-G1	4 mm x 8 mm Diamond Oval.	L1104	1239768/R
S-4OV-G1	4 mm x 8 mm Fluted Oval.	L1104	1239751/R
S-5AC-G1	5 mm Fluted Acorn.	L1104	1239615/R
S-5B-12F-G1	5 mm Fluted Ball, 12 Flutes.	L1104	1236236/R
S-5B-2-G1	5 mm Fluted Ball, 2 mm Shaft Exposure.	L1104	1236237/R
S-5B-4-G1	5 mm Fluted Ball, 4-Series.	L1104	1236238/R
S-5BA-G1	5 mm x 10 mm Fluted Barrel.	L1104	1240217/R
S-5B-C-10F-G1	5 mm Carbide Fluted Ball, 10 Flutes.	L1104	1236465/R
S-5B-C-G1	5 mm Carbide Fluted Ball, Standard Lengt	L1104	1236466/R
S-5B-G1	5 mm Fluted Ball.	L1104	1236239/R
S-5D-100-G1	5 mm Diamond Ball, 100/120 Grit.	L1104	1237537/R
S-5D-2-G1	5 mm Diamond Ball, 2 mm Shaft Exposure.	L1104	1237557/R
S-5DC-22-G1	5 mm Coarse Diamond Ball, 22 mm Shaft Ex	L1104	1237558/R
S-5DC-40	5MM COARSE DIAMOND BALL, 40/60 GRIT	L1104	55829
S-5DC-40-G1	5 mm Coarse Diamond Ball, 40/60 Grit.	L1104	1237538/R
S-5DC-G1	5 mm Coarse Diamond Ball.	L1104	1237487/R
S-5D-G1	5 mm Diamond Ball.	L1104	1237488/R
S-5DX-G1	5 mm Extra Coarse Diamond Ball.	L1104	1237489/R
S-5OV-G1	5 mm x 10 mm Fluted Oval.	L1104	1239752/R
S-62BE-G1	6.2 mm Fluted Bell, Side Cut Only.	L1104	1240203/R
S-62DRM-G1	6.2 mm x 4.6 mm Fluted Drum, Side Cut On	L1104	1237688/R
S-68DRMDC-G1	6.8 mm x 10.6 mm Coarse Diamond Drum.	L1104	1239645/R
S-68DRMDX-G1	6.8 mm x 10.6 mm Extra Coarse Diamond Dr	L1104	1239646/R
S-6AC-G1	6 mm Fluted Acorn.	L1104	1239616/R
S-6B-4-G1	6 mm Fluted Ball, 4-Series.	L1104	1236240/R
S-6B-C-G1	6 mm Carbide Fluted Ball, Standard Lengt	L1104	1236467/R
S-6B-G1	6 mm Fluted Ball.	L1104	1236241/R
S-6D-100-G1	6 mm Diamond Ball, 100/120 Grit.	L1104	1237539/R
S-6DC-G1	6 mm Coarse Diamond Ball.	L1104	1237490/R
S-6D-G1	6 mm Diamond Ball.	L1104	1237491/R
S-6DX-20-G1	6 mm Extra Coarse Diamond Ball, 20/30 Gr	L1104	1237540/R
S-6DX-G1	6 mm Extra Coarse Diamond Ball.	L1104	1237492/R
S-6IP-G1	6 mm x 11.8 mm Fluted Pear, Inverted.	L1104	1240227/R
S-6PD-G1	6 mm x 9 mm Diamond Pear.	L1104	1240228/R
S-6P-G1	6 mm x 9 mm Fluted Pear.	L1104	1240229/R
S-6R-G1	1.12 mm x 6.35 mm Fluted Router.	L1104	1239844/R
S-7B-C-14F-G1	7 mm Carbide Fluted Ball, 14 Flutes.	L1104	1236468/R
S-7B-C-G1	7 mm Carbide Fluted Ball, Standard Lengt	L1104	1236469/R
S-7B-G1	7 mm Fluted Ball.	L1104	1236242/R
S-7IP-G1	7 mm x 13.1 mm Fluted Pear, Inverted.	L1104	1240230/R
S-8B-G1	8 mm Fluted Ball.	L1104	1240016/R
S-8DC-G1	8 mm Coarse Diamond Ball.	L1104	1237493/R
S-8N-18-4-G1	1.8 mm Fluted Matchstick, 4- Series.	L1104	1236783/R
S-8N-18-G1	1.8 mm Fluted Matchstick.	L1104	1236784/R
S-8ND	2.5MM DIAMOND MATCHSTICK	L1104	55956
S-8ND-G1	2.5 mm Diamond Matchstick.	L1104	1236815/R
S-8N-G1	..3 mm Fluted Matchstick.	L1104	1236785/R
S-8N-L-G1	2.3 mm Fluted Matchstick, Extends 22 mm.	L1104	1236786/R
S-8NSD-G1	3.2 mm Diamond Matchstick.	L1104	1236816/R
S-8NS-G1	3 mm Fluted Matchstick.	L1104	1236787/R
S-8NS-M-G1	3 mm Fluted Matchstick, Extends 8.9 mm,	L1104	1236788/R
S-9AC-G1	9.2 mm Fluted Acorn.	L1104	1239617/R
S-9B-G1	9 mm Fluted Ball.	L1104	1236243/R